


SPECIALTY WINE HOSE PRODUCTS

2024/2025 Vintage



RUBBER HOSE

- Long lasting & superior performance
- Compliant with FDA, 3A and EU regulations
- Up to 96% alcohol concentration
- Ideally suited for wineries, breweries, distilleries and bottling plant



EZ Glide Wine



A quality, nontoxic hose for handling wine & potable water. Extremely abrasion resistant and flexible. Easy to handle, low friction, reduces fatigue

Pressure: 150Psi
Temperature: -29°C to 82°C

51mm, 76mm

Spiraltech EXTRA Glide



10 Bar premium grade, light & flexible, low friction suction/delivery hose. Suitable for handling wine, spirits & food products. Abrasion, ageing, ozone and oil resistant

Pressure: 150Psi
Temperature: -25°C to +120°C

38mm, 51mm, 76mm, 102mm

Scotland 6-Ply



Heavywall delivery hose. Taste free and odourless IIR rubber tube

Available in Blue

Pressure: 150Psi
Temperature: -40°C to 120°C

51mm, 64mm, 76mm, 102mm

Vintner Lite



A versatile, crush-resistant, EPDM hose. Thanks to its light weight, it is an ideal solution for high traffic areas in wineries and breweries

Pressure: 150Psi
Temperature: -34°C to 104°C

25mm, 38mm, 51mm, 64mm, 76mm

TUFood Crush Resistant



10 bar suction and delivery hose, crush resistant with a white EPDM tube. Suitable for a wide range of food products. Smooth red cloth finish. Abrasion, ageing and ozone resistant. Not recommended for fatty food products and oil.

Pressure: 150Psi
Temperature: -40°C to 120°C

38mm, 51mm, 64mm, 76mm

Vintner Reserve



Hose for handling in-plant and/or tank truck transfer of wine, beer and other non-oily liquid foodstuffs. Crush and kink resistant.

Pressure: 250Psi
Temperature: -30°C to 104°C

25mm, 38mm, 51mm, 64mm, 76mm

TUFood EPDM



10 bar EPDM hardwall suction and delivery hose suitable for a wide range of food products. Not recommended for fatty food products and oil. Crush resistant. Smooth red cloth finish. Abrasion, ageing and ozone resistant.

Pressure: 150Psi
Temperature: -40°C to 120°C
25mm, 38mm, 51mm, 64mm, 76mm, 102mm, 152mm

Millenium LL



Flexible hose for suction and discharge of all food products including oily and fatty foods, taste free and odourless, phthalates and IPA free

Pressure: 150Psi
Temperature: -30°C to 100°C

19mm, 25mm, 32mm, 38mm, 51mm, 64mm, 76mm, 102mm

Merlot Food Delivery



Softwall natural rubber lined hose for delivery of water, wine, juice, soft drinks, and other foodstuffs when a food quality hose is required. Not recommended for oily or fatty liquids.

Pressure: 150Psi
Temperature: -35°C to 7 0°C

38mm, 51mm, 76mm

PVC HOSE



Bacco Food & Beverage



Suction and delivery of liquids with alcohol concentration up to 50%. Suitable for conveying milk and dairy products according to Regulation EU 10/2011 (classes A, B, C, D1)

Pressure: Up to 130Psi*
Temperature: -10°C to 60°C

19mm, 25mm, 38mm, 51mm, 64mm, 76mm, 102mm, 152mm

Plutone Bio



Clear Bio PVC steel spiral reinforced for suction and delivery of food liquids, water and air. FDA compliant. Made from eco-friendly bio-based compound

Pressure: Up to 140Psi*
Temperature: -10°C to 60°C

19mm, 25mm, 32mm, 38mm, 51mm, 76mm

Plutone Braided Bio



Clear Bio PVC steel spiral and braid reinforced for suction and higher pressure applications. For food liquids, beverages, fruit juices, wine and liquors with alcohol concentration up to 50%.

Pressure: Up to 150Psi*
Temperature: -10°C to 60°C

38mm, 51mm, 76mm

Spiralpress Eno



Flexible, easy to drag and low friction, a popular choice in wineries. Delivery of wines and spirits with alcohol concentration up to 50%. Food grade according to EU 10/2011 classes A, B, C and D1

Pressure: Up to 116Psi*
Temperature: -10°C to 60°C

38mm, 51mm, 76mm, 102mm

Marte PVC Suction



Flexible PVC suction and delivery hose. Chemical resistant, non-food grade. Can be used for glycol.

Pressure: Up to 117Psi*
Temperature: -10°C to 60°C

19mm, 25mm, 32mm, 38mm, 51mm, 64mm, 76mm, 102mm

Arianna Bio



Clear Bio PVC for delivery of food liquids, water and air. Can be used for CO2 lines and Glycol. FDA compliant. Made from eco-friendly, bio-based compound.

Pressure: Up to 300Psi*
Temperature: -10°C to 60°C

6mm, 8mm, 10mm, 13mm, 16mm, 19mm, 25mm

* size dependant



WASHDOWN



Sani-Wash Supreme



Hot water washdown up to 99°C cleanup in food processing plants with Microban® Antimicrobial built-in product protection

Pressure: 300Psi
Temperature: -40°C to 99°C

13mm, 19mm, 25mm

VariFlex



Quality economical multi-purpose hose for industrial where high oil resistance is required.

Pressure: Up to 300Psi
Temperature: -29°C to 99°C

6mm, 8mm, 10mm, 13mm, 16mm, 19mm, 25mm, 32mm, 38mm, 50mm

Hotwash EPDM



100°C hot washdown with white EPDM tube and cover

Pressure: 200Psi
Temperature: -30°C to 100°C

13mm, 19mm, 25mm

PVC Washdown (Blue Stripe)



PVC cold washdown hose with excellent UV resistance. Good resistance to abrasion. White cover for good visibility.

Pressure: 150Psi
Temperature: 60°C

19mm, 25mm, 32mm, 38mm

Stainless Steel Hose Tails



Various options available including BSP, Triclover, RJT, with options of standard, Bio Crimp and Swiveling tails.

Washdown Hose Hangers



Stainless Steel
Small - 100x100mm, Medium 100x150mm, Large 150x150mm

Washdown Nozzles



Hot Wash Stainless Steel Nozzle



Heavy Duty Brass Nozzle



Heavy Duty Stainless Steel Nozzle



Low Flow Washdown Gun



Cold Wash Nozzles

More options available

WINE HOSE FITTINGS

On-site repairs and pressure testing



Stainless Steel Sanitary Fittings



Bio Sanitary fittings are designed with minimal places for bacteria to build up, making them the ideal solution for a hygienic fitting. Fitted and swaged at our workshops. On-site pressure testing & repair services also available - see back page.

Available in RJT, Triclover, custom ends and optional bump rings. Sizes range from 1/2" to 6".

RJT Nuts



13-152mm

Swaged Barb Hosetails



25-102mm
Can be fitted with Band-It or Bolt Clamps

Triclover Clamps



13-304mm

RJT & Triclover Seals



Available in EPDM, Nitrile, Viton, Silicone, PTFE and Metal Detectable material

Stainless Steel Camlocks



Size range from 13-152mm

Ball Valves



2 Piece & 3 piece
316 Stainless steel ball valves

PUMPS



Air and Electrically Operated Diaphragm Pumps

Saniforce series is particularly designed to meet the requirements of the food, beverage, pharmaceutical and cosmetic industries.

Explosion proof models are available.
Certified according to directive 94/9/EC (ATEX), group II, cat 2, for use in EX-zone 1.

Air and Electric operated diaphragm pumps offer wineries a leak-free pump solution, with variable flow and discharge pressures. They are a popular choice given the self-priming, dry-running capabilities.

This type of wine pump is available in a variety of materials, including stainless steel making them ideal for the food and beverage industry.

Motion can offer an extensive range from world leading brands to suit your winery needs.



Graco QUANTM - The Next Generation of Pumps



QUANTM isn't just another electric pump, it's a game changer. QUANTM features a revolutionary electric motor design that allows you to improve productivity while complying with evolving environmental regulations

- Incredibly efficient
- Up to 80% more efficient than standard AODD pumps
- Reduce or eliminate high energy consuming air compressors
- No pump freezing

PUMPS & REELS



Hose Reel Solutions



Partnering with some of the worlds leading reel manufacturers and with one of the largest stocked ranges of Reels in New Zealand, Motion has the solution for your hose storage needs.

Stainless steel, painted steel or plastic.

Automatic retractable, manual , electric, pneumatic or even hydraulic motorised reels are all available.

Washdown use, CO2, lubrication, or even Chemical use Increasing safety and reducing trips and falls from hose on the ground.

We can provide an off the shelf or custom solution.





SITE SERVICES

We offer a complete onsite service as a total product management package.

Our technicians can repair existing hose assemblies or supply new assemblies with one of our mobile fabrication units offering:

- Nationwide service
- Fit for purpose hose-assemblies
- Increased Safety
- Site welding & fabrication
- Testing & certification
- Product repairs & replacements
- Turn key installations



HOSE FABRICATION

Industry leading solutions in all aspects of specialist hose fabrication.

From industrial rubber hose, stainless steel hose to PVC and ultra-high pressure water jetting hose, we can offer a solution for almost any application.

We also offer a complete design and custom built hose assembly service.



REPAIRS, TESTING & CERTIFICATION

Complete hose testing and certification service to meet strict and specific industry requirements including:

- Hydrostatic testing
- Nitrogen testing
- Vacuum testing
- Destructive testing
- Failure analysis

Pick up and return service for testing and repairs.

Contact us to discuss your specific requirements.



EXARO™ HOSE MANAGEMENT

Our industry leading EXARO™ online hose management system will help you maximise the life expectancy of your hose assets.

We focus on preventative maintenance to reduce the risk of downtime and increase operator safety.

MOTION

Anytime. Anywhere.
Always Here.™



Find a location near you!

Scan the QR Code or visit motionfluid.co.nz

0800 4 HOSES

Delivering a world-class customer-first approach providing excellence and expertise in industrial products, solutions and services

MOTION
FLUID SOLUTIONS